

The Fifteen Minute Hour
and
Cognitive Behavioral Therapy

Marian R. Stuart, Ph.D.

**Emeritus Professor of Family Medicine and Community Health
Rutgers-Robert Wood Johnson Medical School**

Focus of Presentation

- The connection between primary care and mental health care delivery
- Why and how to screen for emotional problems
- Demystifying the therapeutic process

Psychiatric Epidemiology

- National Comorbidity Survey Replication
- 9282 English Speaking People Surveyed
- Mental illness begins earlier in life than previously believed
- Overall 12 month prevalence of any mental disorder in the range of 30%
- Lifetime history of 41-46%

Kessler RC Berglund P & Dernier et al Arch Gen Psych 2005;62:593-602

12 Months Use of Mental Health Services in the U.S.

- National Comorbidity Survey Replication
- Of 12 Months Cases 41% received some Tx
- 12.3% treated by psychiatrist
- 16% treated by non MD mental health
- 22.8% by general medical provider
- 60% of those with a disorder receive no Tx
- 32.7% of treatment given is “adequate”

Wang PS Lane M Pincus et al Arch Gen Psych 2005;62:629-640


Mental Health and Primary Care

- Most mental health services here and elsewhere are provided in primary care--and this will continue
- Primary care is the de facto mental health system
- At least one third of primary care patients have a psychiatric diagnosis
- Three fourths will primarily complain of physical symptoms
- Cognitive therapy is an effective modality that can be provided in the framework of a brief office visit

Therapy in Primary Care

- **Physicians can treat emotional problems without labeling them mental problems**
- **Emotional concerns are addressed normally during medical treatment**
- **Physicians are in a unique position to understand body-mind interactions**
- **Every visit should involve attention to the emotional component**

Stress and Social Support



Two Basic Human Needs...

- **To feel competent**
- **To feel connected**

Andrus Angyal

The BATHE Technique

Background

Affect/Feeling

Trouble

Handling

Empathy

How to **BATHE** your
Patients as you **SOAP** Them:

Background: What is going on in your
life?

Affect: How does that make you feel?

Trouble: What about it troubles you
most?

Handling: How are you handling that?

Empathy: That must be very difficult.

REASONS TO BATHE PATIENTS

- **1. To serve as a screening test for anxiety, depression or situational stress**
- **2. To establish rapport with patients**
- **3. To answer the question, "why is the patient here now" as part of constructing a medical history**
- **4. Explore reactions to a diagnosis, resistance to treatment or making a lifestyle change**

The Study

- **Dr. Sandra Leiblum, Eliezer Schnall and psychology interns designed it**
- **IRB Approved**
- **4 doctors, 10 patients with BATHE, 10 patients no BATHE**
- **Research assistant (RA) obtained informed consent in waiting room**
- **RA informed physicians of condition and collected data after the visit**

Leiblum et al. *Fam Med* 2008(6)407-11

The Results

	BATHE	Non- BATHE	Significance
Friendliness/courtesy of your doctor	4.71	4.45	NS
Explanations your doctor provided about any problems/condition you may have	4.47	3.95	0.01
Concern your doctor showed for your questions/worries	4.46	3.95	0.03

1 = Very Poor, 5 = Very Good

The Results

	BATHE	Non- BATHE	Significance
Your doctor's efforts to include you in decisions about your treatment	4.11	3.47	0.05
Information your doctor gave you about medications	4.59	3.92	0.00
Instructions your doctor gave you about follow-up care	4.63	3.94	0.00

1 = Very Poor, 5 = Very Good

The Results

	BATHE	Non- BATHE	Significance
Likelihood of your recommending this doctor to others	4.65	4.20	0.02
Please rate your overall satisfaction with today's visit to your doctor	4.68	3.95	0.00

1 = Very Poor, 5 = Very Good

Basics of CBT Therapy

1. CBT is based on the cognitive model of emotional response
2. CBT Is brief and time-limited (Elements can be included into a 15 minute visit)
3. A therapeutic relationship is required
4. It' s a collaborative effort

Cognitive-Behavioral Therapy (CBT) Demystified

- We constantly tell ourselves, as well as others, stories
- These stories create our reality and affect our experience
- These stories limit how much energy we invest to achieve a goal
- These stories determine what we are capable of achieving

Challenging Absolutes

- **Always**
- **Never**
- **Everyone**
- **No-one**

Challenging Imposed Limits

- **Can't**
- **Must**
- **Should**
- **It's impossible**

The Amazing Power of the Word “YET”

- YET implies it is possible
- YET implies impending change
- YET empowers people to contemplate changes

Summary

- Mental illness is prevalent in the primary care population and can be successfully identified and treated by primary care physicians
- The BATHE Technique is used to efficiently obtain relevant psychosocial data while improving patient satisfaction
- Listening to patient's stories empathically and helping them to edit these stories is the essence of cognitive therapy

The 20 Edition of the Text

**Described as
Excellent by Doody's**

Now Available as a Kindle



THE FIFTEEN MINUTE HOUR THERAPEUTIC TALK IN PRIMARY CARE FIFTH EDITION



MARIAN R STUART PhD and JOSEPH A LIEBERMAN III MD, MPH
Forewords by ALFRED F TALLIA MD, MPH and ROBERT E RAKEL MD



THE BEGINNING

www.marianstuart.com

www.15minutehour.com